

Friday 29 September 2023

OIA IRO-480

Name: [REDACTED]

Email: [REDACTED]@gmail.com

Kia ora [REDACTED]

Official information request regarding sinkhole repair costs on Corner of Mexted Crescent and Arawhata Street, Porirua.

Thank you for your official information request dated Wednesday 23 August 2023. On Monday 18 September we communicated to you that we were extending the time to respond until Monday 9 October 2023.

We have considered your request in accordance with the Local Government Official Information and Meetings Act 1987 (the Act) and determined that we are able to grant your request in full. Please see the costings breakdown in turn.

Costs	
Traffic management (24/7 Monitoring)	\$ 112,812.50
Initial Response / Restoration of service	\$ 67,647.60
Monitoring (excluding TTM)	\$ 9,611.50
Geotechnical Advice	\$ 23,537.50
Sinkhole Repair	\$ 111,930.63
Total	\$ 325,539.73

You have the right to seek an investigation and review by the Ombudsman of this decision. Information about how to make a complaint is available at www.ombudsman.parliament.nz or freephone 0800 802 602.

Ngā mihi,

[REDACTED]

Acting Group Manager, Customer Operations Group

For the latest news and updates, follow us on our social channels:

 /wellingtonwater  @wgtwaternz & @wgtwateroutage  @wellington_water

www.wellingtonwater.co.nz

Our water, our future.