









Month/Year
February 2026

Current status
■ Compliant
■ Compliant (with noted issue)
■ Non-compliant


Performance - February 2026

Wastewater Treatment Plant		Current status
Moa Point 		●
Porirua 		●
Seaview 		●
Western 		●


Compliance as per Reporting

Month of Month (C..)	Wastewater Treatment Plant (Compliance Reporting)			
	Moa Point 	Porirua 	Seaview 	Western 
January 2025	●	●	●	●
February 2025	●	●	●	●
March 2025	●	●	●	●
April 2025	●	●	●	●
May 2025	●	●	●	●
June 2025	●	●	●	●
July 2025	●	●	●	●
August 2025	●	●	●	●
September 2025	●	●	●	●
October 2025	●	●	●	●
November 2025	●	●	●	●
December 2025	●	●	●	●
January 2026	●	●	●	●
February 2026	●	●	●	●

Moa Point Wastewater Treatment Plant performance - February 2026

Commentary	Discharges	Odour Complaints	Items of significance	Current status	
<p>Moa Point WWTP main treatment processes are non-operational following the flooding event on 4 February 2026. Effluent is being pumped to the plant, screened and then discharged without biological treatment or disinfection.</p>	<p>The plant is discharging screened wastewater via the long outfall, and this is an unauthorised discharge.</p>	<p>There were ten odour complaints in February. These included a mix of comments and complaints about odour and wastewater discharges. There were six odour complaints for the Southern Landfill/ Carey's Gully Sludge Dewatering Plant. These were all after 4 February when the plant ceased operations.</p>	<p>Moa Point WWTP was shut down operationally following severe flooding of the plant that occurred in the early hours of 4 February. The loss of power and damage to treatment equipment from the event resulted in a level 5 Emergency Management Team response.</p> <p>Initial investigations have concluded that around 80% of the plant's critical electrical and control systems were affected.</p> <p>Because of the scale and complexity of the damage, we have brought in specialist mechanical and electrical experts from New Zealand and Australia to assess the plant and systems.</p> <p>A key priority has been diverting as much wastewater as possible through the long outfall pipe. Recent remedial work has enabled more screened wastewater to be transferred this way, reducing our reliance on the short outfall pipe for unscreened discharges during wet weather.</p>	<p>Non-compliant</p>	


Porirua Wastewater Treatment Plant performance - February 2026

Commentary	Discharges	Odour Complaints	Items of significance	Current status	
<p>The plant is compliant for effluent quality.</p>	<p>No unauthorised discharges in February.</p>	<p>No odour complaints in February.</p>	<p>The TAK UV system is currently operating as the duty unit, with the Duron UV system on standby during higher flows due to a fault detected in February. TAK will remain the duty system while the Duron fault is investigated and confirmed, to prevent any repeat issues.</p> <p>Physical works on the odour control unit (OCU) continue. This major project will deliver much improved odour treatment capacity to the plant process. These works are expected to be completed in June 2026.</p>	<p>Compliant</p>	


Seaview Wastewater Treatment Plant performance - February 2026


Commentary	Discharges	Odour Complaints	Items of significance	Odour Treatment Project	Current status	
<p>Effluent quality was non-compliant for faecal coliforms against both the 90-day geometric mean and the 80th percentile parameters. Suspended solids are non-compliant on the 80th percentile. Biochemical oxygen demand is compliant with consent parameters.</p>	<p>There were two unauthorised discharges in February, the first on 14 February due to the UV system failure conveying to the coastal marine area (CMA). The 16 February discharge, to both the Waiwhetū Stream and CMA, was during a region-wide storm event causing brief power outage to the UV system.</p>	<p>There was one odour complaint received in February. This was deemed offensive and objectionable by GWRC.</p>	<p>Effluent non-compliance: There has been notable improvement to suspended solids during February with daily results now consistently within consent parameters. However, faecal coliform removal is proving more challenging with inconsistent daily results affecting the parameter averages and delaying a trend towards compliance. Please Explain letters: Five PX letters received from GWRC for prior events. We will respond by the notified due dates.</p>	<p>The new milliscreen odour treatment system was fully commissioned in December and main project works completed.</p> <p>What's coming up: -Installation of the final community odour monitor. -Independent assessment of the effectiveness of the Odour Control Project – Stages 1 and 2.</p>	<p>Non-compliant</p>	

Western Wastewater Treatment Plant performance - February 2026

Commentary	Discharges	Odour Complaints	Items of significance	Current status	
<p>The plant has moved back into compliance for both suspended solids and faecal coliforms. Biochemical oxygen demand remains non-compliant on the 90-day geomean.</p>	<p>No unauthorised discharges to the Karori Stream in February.</p>	<p>No odour complaints in February.</p>	<p>Effluent non-compliance: The plant's biological process has recovered well since the start of the year with daily effluent results now consistently within consent parameter limits. Current trends indicate the plant to be compliant in March.</p> <p>Please Explain letter: GWRC issued a Please Explain in February relating to the non-compliant effluent quality in recent months and telemetry issues that also relate to the consent. A response will be provided within the required timeframe.</p>	<p>Non-compliant</p>	

Moa Point Compliance

Current status
 Compliant (with noted issue)

 Non-compliant

Month of Month (Compliance Re..	Compliance Issues	Moa Point
August 2023	Non-consented short outfall discharge	
September 2023	Non-compliant for SS and 2 x unconsented discharges (short outfall)	
October 2023	Non-compliant for SS	
November 2023	Non-compliant for SS, Non-compliant for faecal coliforms	
December 2023	Non-compliant for SS, Non-compliant for faecal coliforms	
January 2024	Non-compliant for SS, Non-compliant for faecal coliforms	
February 2024	Non-compliant for SS, Non-compliant for faecal coliforms	
March 2024	Non-compliant for SS, faecal coliforms and BOD	
April 2024	Non-compliant for SS, faecal coliforms and BOD	
May 2024	Non-compliant for SS, faecal coliforms and BOD	
June 2024	Non-compliant for SS, faecal coliforms	
July 2024	Non-compliant for SS, faecal coliforms	
August 2024	Non-compliant for SS, faecal coliforms	
September 2024	Non-compliant for SS, faecal coliforms	
October 2024	Non-compliant for SS, faecal coliforms, non-compliant for odour	
November 2024	Non-compliant for SS, faecal coliforms, odour and discharge events	
December 2024	Non-compliant for SS, faecal coliforms, non-compliant for odour	
January 2025	Non-compliant for SS, non-compliant for odour and discharge events	
February 2025	Non-compliant for SS, faecal coliforms and odour	
March 2025	Non-compliant for faecal coliforms, non-compliant for odour and discharge events	
April 2025	Non-compliant for faecal coliforms, non-compliant for odour and discharge events	
May 2025	Non-compliant for faecal coliforms, non-compliant for odour and discharge of non-compliant effluent	
June 2025	Non-compliant for Total Reduced Sulphur and discharge events	
July 2025	Non-compliant discharge events (3) during renewal work to clarifier in July	
August 2025	Non-compliant for Air Discharge - Total Reduced Sulphur (TRS)	
September 2025	Non-compliant for faecal coliforms and suspended solids	
October 2025	Non-compliant for suspended solids	
November 2025	Non-compliant for suspended solids	
December 2025	Non-compliant for faecal coliforms and suspended solids	
January 2026	Non-compliant for faecal coliforms and suspended solids	
February 2026	Non-compliant due to main treatment processes being non-operational	

Porirua Compliance

Current status

● Compliant

● Compliant (with noted issue)

Month of Month (Compliance Re..	Compliance Issues	Porirua
August 2023	Compliant	●
September 2023	Unconsented discharge – power outage	●
October 2023	One partially treated discharge	●
November 2023	Compliant	●
December 2023	Compliant	●
January 2024	Compliant	●
February 2024	Faecal Coliform exceedance	●
March 2024	Compliant with high MLSS and Carryover events	●
April 2024	Compliant with high MLSS and discharge events	●
May 2024	Compliant with high MLSS and discharge events	●
June 2024	Compliant with high MLSS and discharge events	●
July 2024	Compliant but with faecal coliform spikes	●
August 2024	Compliant	●
September 2024	Compliant	●
October 2024	Compliant	●
November 2024	Compliant	●
December 2024	Bypass system of the UV system and discharge events	●
January 2025	Non-compliant for odour and discharge events	●
February 2025	Non-compliant for odour	●
March 2025	Compliant but with faecal coliform spikes, Faults with the Duron UV system and discharge events	●
April 2025	Sludge carryovers and discharge events	●
May 2025	Sludge carryovers and discharge events	●
June 2025	Compliant for daily effluent quality but elevated MLSS remains closely monitored	●
July 2025	Compliant for daily effluent quality, but MLSS being closely monitored	●
August 2025	Compliant	●
September 2025	Compliant	●
October 2025	Compliant	●
November 2025	Compliant	●
December 2025	Compliant	●
January 2026	Compliant	●
February 2026	Compliant	●

Seaview Compliance

Current status
■ Compliant
■ Non-compliant

Month of Month (Compliance Re..	Compliance Issues	Seaview
August 2023	Compliant	●
September 2023	Non-compliant for faecal coliforms	●
October 2023	Non-compliant for faecal coliforms	●
November 2023	Non-compliant for faecal coliforms, non-compliant odour	●
December 2023	Non-compliant for faecal coliforms, non-compliant odour	●
January 2024	Non-compliant for faecal coliforms	●
February 2024	Non-compliant for faecal coliforms	●
March 2024	Non-compliant for faecal coliforms	●
April 2024	Non-compliant for faecal coliforms	●
May 2024	Non-compliant for faecal coliforms	●
June 2024	Non-compliant for faecal coliforms	●
July 2024	Non-compliant for faecal coliforms, non-compliant for odour	●
August 2024	Non-compliant for faecal coliforms	●
September 2024	Non-compliant for faecal coliforms, odour and dry weather discharge	●
October 2024	Non-compliant for faecal coliforms, non-compliant for odour	●
November 2024	Non-compliant for faecal coliforms, non-compliant for odour	●
December 2024	Non-compliant for faecal coliforms, non-compliant for odour and discharge events	●
January 2025	Non-compliant for SS and non-compliant for odour	●
February 2025	Non-compliant for faecal coliforms, non-compliant for odour and discharge events	●
March 2025	Compliant	●
April 2025	Compliant	●
May 2025	Non-compliant for faecal coliforms and discharge events	●
June 2025	Non-compliant for total suspended solids and discharge events	●
July 2025	Compliant	●
August 2025	Compliant	●
September 2025	Non-compliant for faecal coliforms	●
October 2025	Non-compliant for faecal coliforms	●
November 2025	Non-compliant for faecal coliforms	●
December 2025	Non-compliant for faecal coliforms and suspended solids	●
January 2026	Non-compliant for faecal coliforms and suspended solids	●
February 2026	Non-compliant for faecal coliforms and suspended solids	●

Western Compliance

Current status

- Compliant
- Compliant (with noted issue)
- Non-compliant

Month of Month (Compliance Re..)	Compliance Issues	Western
August 2023	Compliant – except outfall pipe leak (reported as amber)	●
September 2023	Non-compliant for BOD, outfall pipe leak	●
October 2023	Non-compliant for BOD, outfall pipe leak	●
November 2023	Non-compliant for BOD, outfall pipe leak	●
December 2023	Non-compliant for BOD, outfall pipe leak	●
January 2024	Non-compliant for BOD, outfall pipe leak	●
February 2024	Non-compliant for BOD, outfall pipe leak	●
March 2024	Non-compliant for BOD, outfall pipe leak	●
April 2024	Non-compliant for BOD, outfall pipe leak	●
May 2024	Non-compliant for BOD, outfall pipe leak	●
June 2024	Non-compliant for BOD, outfall pipe leak	●
July 2024	Compliant	●
August 2024	Compliant	●
September 2024	Compliant	●
October 2024	Compliant	●
November 2024	Compliant	●
December 2024	Compliant	●
January 2025	Compliant	●
February 2025	Compliant	●
March 2025	Compliant	●
April 2025	Compliant	●
May 2025	Unconsented discharge of undisinfected effluent	●
June 2025	Compliant	●
July 2025	Compliant	●
August 2025	Compliant	●
September 2025	Compliant	●
October 2025	Compliant - Discharging partially treated effluent temporarily due to UV system failure (major electrical fault)	●
November 2025	Non-compliant for discharge event due to UV system failure (major electrical fault)	●
December 2025	Non-compliant for faecal coliforms and biochemical oxygen demand	●
January 2026	Non-compliant for faecal coliforms and suspended solids and biochemical oxygen demand	●
February 2026	Non-compliant for biochemical oxygen demand	●